

PARTICULATE WEIGHING ROOM REPORT

Vehicle ID: X4XXX6355 / 045M554	Test ID: X4XXX6355_US2XSP020719072801 / 1111012144
Test Req.: 082012190844 – 6	Location: CHRYSLER TECH CENTER
Test Type: US06(2X) – using Split Bag US06	Facility: Test Cell 7
Start Time: 07/28/2019 12:55:11	End Time: 07/28/2019 13:16:42
Requestor: REDACTED	Operator: REDACTED
Seq. Purpose: MY14 WK Baseline with AEM applied	

Filter Weights

Phase	Filter Type	Stage	Prim. Wt. (mg)	Sec. Wt. (mg)	Total
	Reference	Pre	165.758926	163.284744	
		Post	165.758957	163.284698	
		Diff.	0.000031	-0.000046	-0.000015

Test Segment: US06 Split Bag Cycle (3)

Phase	Filter Type	Stage	Prim. Wt. (mg)	Sec. Wt. (mg)	Total
1	Sample	Pre	157.413834	0.000000	
		Post	157.426910	0.000000	
		Diff.	0.013076	0.000000	0.013076

Results

Test Segment: US06 Split Bag Cycle (3)

Phase	CVS Mass (g)	TUN Mass (g)	Sample Ratio	Mass (mg)
1	223171.755	572.649	389.718	5.096
2	0.000	0.000	0.000	0.000

Segment	Mass Per Dist. (mg/Mi)	Mass Per Dist. (mg/Km)
US06 Split Bag Cycle (3)	0.635	0.394

Test Validation: Valid: Invalid: Retest: Accept: NIC: system Date: 07/28/2019 13:39:08
 Validator's Comments:

Conditioning

Parameter	Pre Test			Post Test		
	Min.	Max.	Avg.	Min.	Max.	Avg.
Weigh Room Temperature (degC)	21.9	22.1	22.0	21.9	22.1	22.0
Weigh Room Pressure (kPa)	98.4	98.4	98.4	98.3	98.4	98.4
Weigh Room Dew Point (degC)	9.4	9.6	9.5	9.4	9.6	9.5

Main Events

Event	Date & Time	Event	Date & Time
Pre-Tare Conditioning Started	07/28 08:21	Pre-Tare Conditioning Ended	07/28 09:34
Post-Test Conditioning Started	07/28 13:22	Post-Test Conditioning Ended	07/28 14:48
Tare Weighing Done By Operator	07/28 09:34	Final Weighing Done By Operator	07/28 14:48
Filters Were Put in Sealed Housing	07/28 09:34	Reference Filter Was Changed	06/26 06:59