

PARTICULATE WEIGHING ROOM REPORT

Vehicle ID: T6305PV55 / ESY354	Test ID: T6305PV55_US2XSP011120050801 / 576255815
Test Req.: 082011200556 – 6	Location: CHELSEA PROVING GROUNDS (Chrysler LLC)
Test Type: US06(2X) – using Split Bag US06	Facility: Test Cell 11
Start Time: 05/08/2020 10:48:04	End Time: 05/08/2020 11:09:35
Requestor: REDACTED	Operator: REDACTED
Seq. Purpose: IUVP – US06	

Filter Weights

Phase	Filter Type	Stage	Prim. Wt. (mg)	Sec. Wt. (mg)	Total
	Reference	Pre	0.000000	0.000000	
		Post	162.483124	165.141525	
			-----	-----	-----
		Diff.	162.483124	+ 165.141525	= 327.624649

Test Segment: US06 Split Bag Cycle (1)

Phase	Filter Type	Stage	Prim. Wt. (mg)	Sec. Wt. (mg)	Total
1	Sample	Pre	161.985107	0.000000	
		Post	161.996429	0.000000	
			-----	-----	-----
		Diff.	0.011322	+ 0.000000	= 0.011322

Results

Test Segment: US06 Split Bag Cycle (1)

Phase	CVS Mass (g)	TUN Mass (g)	Sample Ratio	Mass (mg)
1	201278.935	572.124	351.810	3.983

Segment	Mass Per Dist. (mg/Mi)	Mass Per Dist. (mg/Km)
US06 Split Bag Cycle (1)	0.496	0.308

SPC Results

Test Segment: US06 Split Bag Cycle (1)

Phase	Filter Face Velocity (cm/sec)
1	75.684
2	75.435

Test Validation: Valid: Invalid: Retest: Accept: NIC: system Date: 05/08/2020 11:34:51
Validator's Comments:

Conditioning

Parameter	Pre Test			Post Test		
	Min.	Max.	Avg.	Min.	Max.	Avg.
Weigh Room Temperature (degC)	0.0	0.0	0.0	21.9	22.7	22.3
Weigh Room Pressure (kPa)	0.0	0.0	0.0	97.8	97.9	97.9
Weigh Room Dew Point (degC)	0.0	0.0	0.0	9.6	10.0	9.8

Main Events

Event	Date & Time	Event	Date & Time
Pre-Tare Conditioning Started	12/31 19:00	Pre-Tare Conditioning Ended	12/31 19:00
Post-Test Conditioning Started	12/31 19:00	Post-Test Conditioning Ended	05/08 14:38
Tare Weighing Done By Operator	12/31 19:00	Final Weighing Done By Operator	05/08 14:38
Filters Were Put in Sealed Housing	12/31 19:00	Reference Filter Was Changed	05/08 07:14

The results in this report relate only to this specific test.