PARTICULATE WEIGHING ROOM REPORT

Vehicle ID: X4XXX7698 / 031M303 Test ID: X4XXX7698_SC032X020720052901 / 1111015294

Test Req.: 082012200618 – 7 Location: CHRYSLER TECH CENTER

Test Type: SC03(2X) Facility: Test Cell 7

Start Time: 05/29/2020 13:00:41 End Time: 05/29/2020 13:30:30

Requestor: REDACTED Operator: REDACTED

Seq. Purpose: SC03 – My 14 WK – Consent Decree Tailpipe

Filter Weights

Phase	Filter Type	Stage	Prim. Wt. (mg)		Sec. Wt. (mg)		Total
	Reference	Pre	168.121902		164.554199		
		Post	168.120895		164.553864		
		Diff.	-0.001007	+	-0.000335	=	-0.001342
Test Seg	ment: SC03 (1)						
Phase	Filter Type	Stage	Prim. Wt. (mg)		Sec. Wt. (mg)		Total
1	Sample	Pre	166.023514		0.000000		
		Post	166.026306		0.000000		
		Diff.	0.002792	+	0.000000	=	0.002792

Results

Test Segment: SC03 (1)

Phase	CVS Mass (g)	TUN Mass (g)	Sample Ratio	Mass (mg)
1	217259.627	573.690	378.706	1.057

Segment	Mass Per Dist. (mg/Mi)	Mass Per Dist. (mg/Km)
SC03 (1)	0.295	0.183

SPC Results

Test Segment: SC03 (1)

Phase Filter Face Velocity (cm/sec)

1 77.710

Test Validation: Valid: Invalid: Retest: Accept: NIC: system Date: 05/29/2020 13:43:29

Validator's Comments:

Conditioning

	Pre Test		Post Test			
Parameter	Min.	Max.	Avg.	Min.	Max.	Avg.
Weigh Room Temperature (degC)	21.9	22.1	22.0	21.9	22.2	22.0
Weigh Room Pressure (kPa)	97.7	97.7	97.7	97.9	97.9	97.9
Weigh Room Dew Point (degC)	9.3	10.0	9.5	9.3	9.7	9.5

Main Events

Event	Date & Time	Event	Date & Time
Pre-Tare Conditioning Started	05/29 08:22	Pre-Tare Conditioning Ended	05/29 10:51
Post-Test Conditioning Started	05/29 13:32	Post-Test Conditioning Ended	05/29 16:46
Tare Weighing Done By Operator	05/29 10:51	Final Weighing Done By Operator	05/29 16:46
Filters Were Put in Sealed Housing	05/29 10:51	Reference Filter Was Changed	05/27 22:15

The results in this report relate only to this specific test.