

EMISSIONS SUMMARY REPORT

Vehicle ID: **X4XXX7425 / 031M031** Test ID: **X4XXX7425_EPA75_020719082201 / 1111012495**
 Test Req: **082012190974-4** Location: **CHRYSLER TECH CENTER**
 Test Type: **EPA75** Facility: **Test Cell 7** Start Time: **08/22/2019 08:31:00**
 Requestor: **REDACTED** Shift Sched.: **AUTO** Trace End: **08/22/2019 09:11:39**
 Driver: **REDACTED** Option(s): **Tailpipe modal & Bag** Inertia Weight: **5500**
 Operator: **REDACTED** Fuel Type: **MS10756** Road Load Coeff A: **18.52**
 Start Odometer: **83140** Fuel Anal.#: **10762** Road Load Coeff B: **.3258**
 AutoLoad File: **None** INCA Project File: **X4XXX6355.exp** Road Load Coeff C: **0.02753**
 Cell Temp Set Pt: **75** Altitude Set Pt(ft.): **930** Hum. Set Pt (Grains): **50.00**
 Test Segment: **1/1** Vehicle Desc.: **0.00 GRAND CHERBLACK** Emissions Standard: **Fed. BIN 5**
 Test Req. Purpose: **Emissions baseline in as-received condition. AEM was applied in the field by dealership.**
 Seq. Purpose: **MY14 WK Baseline with AEM applied**

	Individual Cycles:(Grams/Mile)				Tailpipe:							
	HC	NMHC	CH4	CO	NOX	CO2	NO	NO2	ExVol	MPG	DM	Miles
Time-63	.2273	.1622	.0585	8.4812	.9005	867.4	.9105	.1176	49.7	11.5497		.207
Cycle1	.4522	.3547	.1022	6.0849	.4810	606.0	.4777	.0499	107.1	16.4927		.673
Cycle2	.1430	.1116	.0345	.0554	.2921	447.1	.2839	.0215	216.5	22.7368		1.963
Cycle11	.1011	.0084	.1044	.0058	.0003	303.7	.0000	.0000	109.2	33.4361		1.375
Cycle19	.1991	.0265	.1906	.0128	.0501	439.5	.0510	.0053	73.6	23.1454		.674

Modal Test Results:(Grams)

Phase:	IDLE	ACCEL	CRUISE	DECEL	CRANK	TOTAL
Phase: 1	.0396	.1797	.3670	.0952	.0000	.6815
	.0291	.1186	.2581	.0794	.0000	.4852
	.0112	.0555	.1135	.0290	.0000	.2092
	.2536	.9254	2.2438	.7943	.0000	4.2172
	.0320	.5394	.2158	.1129	.0000	.9001
	96.0	816.5	703.7	167.1	.0	1783.3
	.0327	.5531	.2075	.0875	.0000	.8808
	.0000	.0348	.0157	.0255	.0000	.0760
	37.0	171.0	153.7	101.4	.1	463.1
	105.4274	12.4394	14.3588	60.3753	.0000	0
	0	0	0	0	0	0
	0	0	0	0	0	0
	0	0	0	0	0	0

Phase: 1 Equivalent Mass Results: (Grams/Mile)
.1891 .1347 .0581 1.1703 .2498 494.9 .2444 .0211 463.1 20.4565 0 3.604

Phase:	IDLE	ACCEL	CRUISE	DECEL	TOTAL
Phase: 2	.0078	.1340	.1604	.0385	.3407
	.0016	.0157	.0141	.0080	.0394
	.0069	.1203	.1641	.0434	.3347
	.0030	.0184	.0099	.0053	.0366
	.0000	.0029	.0003	.0002	.0034
	102.1	940.8	485.6	153.4	1681.8
	.0000	.0012	.0000	.0000	.0012
	.0000	.0000	.0000	.0000	.0000
	46.1	212.3	137.8	100.8	496.9
	99.7382	10.8086	20.9154	66.4495	0
	0	0	0	0	0

Phase: 2 Equivalent Mass Results: (Grams/Mile)
.0871 .0101 .0856 .0094 .0009 430.2 .0003 .0000 496.9 23.6487 0 3.910

Phase:	IDLE	ACCEL	CRUISE
Phase: 3	.0056	.0807	.1140
	.0014	.0129	.0140
	.0046	.0779	.1037
	.0027	.0157	.0120
	.0027	.1772	.0207
	65.7	691.6	535.9
	.0029	.1736	.0176
	.0000	.0194	.0036
	32.4	145.3	126.3
	154.1347	14.6988	18.9714
	0	0	0

Modal Test Results											
HC	.0377	.0168	.0308	.0060	.0067	126.0	.0050	.0016	86.8	80.6936	0
CRANK	.0000	.0000	.0000	.0000	.0000	.1	.0000	.0000	.1	.0000	0
TOTAL	.2281	.0352	.2171	.0365	.2072	1419.3	.1991	.0246	390.8		0
Phase: 3 <u>Equivalent Mass Results: (Grams/Mile)</u>											
	.0635	.0098	.0604	.0102	.0577	395.1	.0554	.0068	390.8	25.7475	0 3.592
Weighted Total Equivalent Mass Results:(Grams/Mile)											
	.1017	.0357	.0731	.2490	.0677	433.9	.0657	.0062	1350.8	23.4080	0 11.106

CVS Mass Results: (Grams/Mile)

	HC	CO	NOX	CO2	NMHC	CH4	NMOG+NOX	HFID	Vol.MPG
Phase: 1	.17239	1.13301	.24141	476.658	.12614	.05151	.36754	0.17432	21.2294
Phase: 2	.07962	.00417	.00105	407.547	.00647	.07747	.00753	0.07898	24.9254
Phase: 3	.05732	.01334	.05702	379.047	.00613	.05475	.06315	0.05736	26.8352
CVS Weighted Mass Results:(Grams/Mile)									
	.09267	.23949	.06590	414.022	.03106	.06592	.09696	.09274	24.5394

Drive Metrics:

CSI	RMS
21.220	.429

SAE Drive Metrics:

	CED (J)	CET (J)	ER	DistD (M)	DistT (M)	DistR	EER	ASCR	IWR	RMSSE (MPH)
Phase: 1	4,628,330	4,555,880	1.590	5,800.7	5,779.5	0.367	1.204	0.467	1.221	0.4838
Phase: 2	4,374,160	4,207,680	3.956	6,290.7	6,211.7	1.271	2.583	4.218	6.316	0.5275
Phase: 3	4,589,730	4,555,880	0.743	5,783.1	5,779.5	0.062	0.675	0.019	-0.012	0.3809
Final (Weighted):										
	8,980,480	8,763,570	2.475	12,081.3	11,991.2	0.752	1.682	2.050	3.577	0.4223

Test Validation: Valid: Invalid: Retest: Accept: NIC: system / spp23 Date: 08/23/2019 03:27:24

Validator's Comments: This test is valid

Test Options:

Option	Description
DHFID Hangup value	.005
Gain	.650
Constant Grade	.000
Diesel Regeneration Required	0

Test Options

Emission Summary Report

MINI DILUTER T/P DILUTION RATIO	8.630
Weighted Dilution factor	13.490
Tailpipe Methane Response Factor	1.056
Bag Methane Response Factor	1.081
DHFID Methane Response Factor	1.113
Soak Duration(Hrs)	15
CVS K Coeff	254.900
Threshold	350
Pre Test Vehicle Temperature	Cold
Trace Start Method	Crank (Pendant)
Charging Type	CS
Template Emissions CAT	EPA
Actual Driver	Human
CVS Venturi Selection	Low
DynoGrade Type	None
Special Test Qualifications	None
OBD II Monitor	None Requested
Abort test on dead battery	Y
Abort Test on INCA Failure	Y
Augmented Braking	Y
DbW Available	Y
Diesel Test	Y
Hybrid Test	Y
Inca Requirement	Y
Mule Vehicle to Park	Y
Road (Var.) Speed Fan required	Y
Rolls Requirement	Y
SAE Calculations Required	Y

Sequence Purpose

MY14 WK Baseline with AEM applied

Engr. SpclInst

DiagRA data needs taken before and after each sequence

Req Spcl Inst

Connect DCAN Cable – Automatically setting ROLLS MODE!

Shift Comments

D| Dual Exhaust

Sampling Type List

DCVS , Diesel Tailpipe / Particulates – Multiple

Test Request Purpose

Emissions baseline in as–received condition. AEM was applied in the field by dealership.